



# MATERIAL SAFETY DATA SHEET

## I. IDENTIFICATION

PRODUCT NAME : **CH-70114** GLOSSY UV CURING VARNISH

CHEMICAL FAMILY : EPOXY ACRYLATE

## II. PHYSICAL DATA

BOILING POINT ( ) Not Applicable      SPECIFIC GRAVITY      NE

VOLATILE      < 0.3% by wt.      VAPOR PRESSURE(mm.Hg)      < 0.1

SOLUBILITY IN WATER      Not Soluble

VAPOR DENSITY      Not Applicable      EVAPORATION RATE      < 1  
(Air=1)      (Butyl Acetate =1)

APPEARANCE AND ODOUR      Clear to slight turbid liquid and light odor

## III. INGREDIENTS

MATERIALS	%	HAZARD
Oligomer	45	None currently know
Monomer	50	Irritant
Photoinitiator	5	Irritant

**IV. FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT	> 200	
FLAMMABLE LIMITS (vol. % in air)	LOWER NE	UPPER NE
EXTINGUISHING MEDIA	Use water spray, carbon dioxide, dry chemical, universal-type foams	
SPECIAL FIRE FIGHTING PROCEDURES	Breathing apparatus when fighting in enclosed area.	
UNUSUAL FIRE AND EXPLOSION HAZARDS	Do not store or mix with strong oxidants.	

**V. HEALTH HAZARD DATA**

**ACUTE EFFECTS OF OVEREXPOSURE**

SWALLOWING	None currently known. May cause some nausea.
SKIN ABSORPTION	May cause irritation.
INHALATION	Respiratory irritation, dizziness, nausea or loss of consciousness.
SKIN CONTACT	May cause irritation of skin,
EYE CONTACT	May cause severe irritation.



VIII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN Any source of ignition should be eliminated , should there be a major spillage. Wear suitable protective equipment. Collect for incineration. Avoid discharge to sewers or waterways.

IF MATERIAL IS SPILLED OR RELEASED Minor spillage should be absorbed on fire retardant treated sawdust and bisposed in a enclosed container.

WASTE DISPOSAL METHOD Incineration by a qualified waste disposal company in compliance with applicable laws and regulations.

IX. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type) Use Organic vapor canisters or cartridges.

VENTILATION General (mechanical) room ventilation is expected to be satisfactory.

PROTECTIVE GLOVES Solvent resistance gloves.

EYE PROTECTION Safety Glasses

X. SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

**WARNING !**

**Keep away from naked fire and heat.**

Avoid breathing vapors, particularly those in the top of the shipping container.

Keep containers closed.

Use with adequate ventilation system

Avoid contact with eyes skin and clothing.

**FOR INDUSTRY USE ONLY**

=====  
**XI. HANDLING AND STORAGE**  
=====

Precautions to be taken in handling :

Avoid contact with eyes. Avoid prolonged contact with skin.

Storage : Keep container well closed at a cool place , avoid freezing , fire and explosion .  
-----

=====  
**XII. ACCIDENTAL RELEASE MEASURES**  
=====

Step to be taken in case material is released or spilled :

Do not let spilled or leaking material enter watercourse .

Sweep or scrap up and containerized.Rinse affected area thoroughly with soap water.  
-----

=====  
**XIII. HAZARD IDENTIFICATION**  
=====

Most important hazards:

Persons with pre-existing skin disorders may more susceptible to irritating effects.  
-----

=====  
**XIV. TOXICOLOGICAL INFORMATION**  
=====

ToxicityData : Not available

Breathing In : None Known

Eye Contact : Direct contact with eyes will cause irritation

Skin Contact : Prolonged and repeated contact with skin may cause mild  
Irritation

Oral intake : May cause Nausea and abdominal discomfort.  
-----

=====  
**XV. DISPOSAL INFORMATION**  
=====

Recommended waste disposal :

Do not dispose in watercourse. It should be recycle.  
-----

=====  
**XVI. TRANSPORT INFORMATION**  
=====

UN No : Not regulated.

Transport Information : No any special instructions

Packing Group : Not applicable

Rail/road transport : GGVS/GGVE : Not available

See transport : GGV-See/IMDG : Not regulated

Air transport : IATA/ICAO : Not available  
-----